

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 2

**CLAIM SUMMARY DOCUMENT:**

**Claims 1-39 (Cancelled)**

**Claim 40 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment, which recognizes a 150 kDA *T. equigenitalis* protein.

**Claim 41 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with at least one antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognize *T. equigenitalis* proteins selected from the group consisting of *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

**Claim 42 (New)** An isolated monoclonal antibody, which can be obtained from hybridomas by a method comprising:

fusing non-secreting murine myeloma cells with spleen cells from mice immunized against an inactivated strain of the species *T. equigenitalis* or extract(s) of such a strain,

cloning and selecting according to the capacity of their culture supernatant to recognize a 150 kDA *T. equigenitalis* protein,

recovering the required monoclonal antibody, and

optionally purifying said monoclonal antibody.

**Claim 43 (New)** A method of obtaining a monoclonal antibody according to claim 40, comprising:

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 3

fusing non-secreting murine myeloma cells with spleen cells from mice immunized by means of a strain of the species *T. equigenitalis* or extract(s) from such a strain, screening hybridomas whose culture supernatants exhibit a positive reaction with a 150 kDa *T. equigenitalis* protein or a fragment thereof, selecting by cloning the hybridomas with respect to their reactivity, in relation to *T. equigenitalis*, recovering the monoclonal antibody, and optionally purifying said monoclonal antibody.

Claim 44 (New) A strain of hybridoma, which is capable of secreting a monoclonal antibody according to claim 40.

Claim 45 (New) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising: bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of a monoclonal antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof according to claim 40, under conditions permitting a reaction of the antigen-antibody type, and

detecting any product formed in a reaction of the antigen-antibody type, wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 4

Claim 46 (New) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

bringing a monoclonal antibody or fragment thereof according to claim 40, into contact with a biological sample, and  
detecting the reaction of the antigen-antibody type which is produced when *T. equigenitalis* is present in the sample.

Claim 47 (New) The method according to claim 45, further comprising blocking the non antigen-antibody reactions.

Claim 48 (New) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

a monoclonal antibody or fragment according to claim 40,  
a reagent for detecting the intended immunologic reaction,  
optionally, a reagent for blocking the non antigen-antibody reactions, and  
instructions for use.

Claim 49 (New) A pharmaceutical composition comprising a monoclonal antibody or fragment according to claim 40, in combination with a pharmaceutically inert vehicle.

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 5

**Claim 50 (New)** A kit according to claim 48, wherein said reagent for carrying out the intended immunologic reaction is selected from the group consisting of markers and buffers.

**Claim 51 (New)** A kit according to claim 48, wherein a reagent for blocking the non antigenic-antibody reaction is included and said reagent is mouse serum.

**Claim 52 (New)** The method according to claim 47, wherein the non antigen-antibody reaction is blocked by saturation of the specimen obtained by means of a serum from which anti-*T. equigenitalis* antibodies have been removed.

**Claim 53 (New)** The method according to claim 46, further comprising blocking the non antigen-antibody reactions.

**Claim 54 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof which recognize *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

**Claim 55 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 120 kDA *T. equigenitalis* protein.

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 6

**Claim 56 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 52.7 kDA *T. equigenitalis* protein.

**Claim 57 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 22 (LPS) kDA *T. equigenitalis* protein.

**Claim 58 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with at least one antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a *T. equigenitalis* protein selected from the group consisting of *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

**Claim 59 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof which recognize *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

**Claim 60 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 120 kDA *T. equigenitalis* protein.

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 7

**Claim 61 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 52.7 kDA *T. equigenitalis* protein.

**Claim 62 (New)** An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 22 (LPS) kDA *T. equigenitalis* protein.

**Claim 63 (New)** A strain of hybridoma, which is capable of secreting the monoclonal antibody according to claim 42.

**Claim 64 (New)** A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:  
bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof according to claim 41, under conditions permitting a reaction of the antigen-antibody type, and  
detecting any product formed in a reaction of the antigen-antibody type, wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 8

Claim 65 (New) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof according to claim 42, under conditions permitting a reaction of the antigen-antibody type, and

detecting any product formed in a reaction of the antigen-antibody type, wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 66 (New) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof according to claim 54, under conditions permitting a reaction of the antigen-antibody type, and

detecting any product formed in a reaction of the antigen-antibody type, wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 67 (New) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 9

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof according to claim 58, under conditions permitting a reaction of the antigen-antibody type, and

detecting any product formed in a reaction of the antigen-antibody type, wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 68 (New) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof according to claim 59, under conditions permitting a reaction of the antigen-antibody type, and

detecting any product formed in a reaction of the antigen-antibody type, wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 69 (New) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

bringing the monoclonal antibodies or fragments thereof according to claim 41 into contact with a biological sample, and

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 10

detecting the reaction of the antigen-antibody type which is produced when *T. equigenitalis* is present in the sample.

Claim 70 (New) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

bringing the monoclonal antibody or fragment thereof according to claim 42 into contact with a biological sample, and

detecting the reaction of the antigen-antibody type which is produced when *T. equigenitalis* is present in the sample.

Claim 71 (New) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

bringing the monoclonal antibodies or fragments thereof according to claim 54 into contact with a biological sample, and

detecting the reaction of the antigen-antibody type which is produced when *T. equigenitalis* is present in the sample.

Claim 72 (New) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

bringing the monoclonal antibodies or fragments thereof according to claim 58 into contact with a biological sample, and

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 11

detecting the reaction of the antigen-antibody type which is produced when *T. equigenitalis* is present in the sample.

Claim 73 (New) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

bringing the monoclonal antibodies or fragments thereof according to claim 59 into contact with a biological sample, and

detecting the reaction of the antigen-antibody type which is produced when *T. equigenitalis* is present in the sample.

Claim 74 (New) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

the monoclonal antibodies or fragments according to claim 41,

reagents for detecting the intended immunologic reaction,

optionally, reagents for blocking the non antigen-antibody reactions, and

instructions for use.

Claim 75 (New) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

a monoclonal antibody or fragment according to claim 42,

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 12

reagents for detecting the intended immunologic reaction,  
optionally, reagents for blocking the non antigen-antibody reactions, and  
instructions for use.

**Claim 76 (New)** A kit for application of a method of identification of a bacterium  
of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture  
comprising:

the monoclonal antibodies or fragments according to claim 54,  
reagents for detecting the intended immunologic reaction,  
optionally, reagents for blocking the non antigen-antibody reactions, and  
instructions for use.

**Claim 77 (New)** A kit for application of a method of identification of a bacterium  
of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture  
comprising:

the monoclonal antibodies or fragments according to claim 58,  
reagents for detecting the intended immunologic reaction,  
optionally, reagents for blocking the non antigen-antibody reactions, and  
instructions for use.

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 13

Claim 78 (New) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

the monoclonal antibodies or fragments according to claim 59,  
reagents, for detecting the intended immunologic reaction,  
optionally, reagents for blocking the non antigen-antibody reactions, and  
instructions for use.

Claim 79 (New) A pharmaceutical composition comprising the monoclonal antibodies or fragments according to claim 41, in combination with a pharmaceutically inert vehicle.

Claim 80 (New) A pharmaceutical composition comprising the monoclonal antibody or fragment according to claim 42, in combination with a pharmaceutically inert vehicle.

Claim 81 (New) A pharmaceutical composition comprising the monoclonal antibodies or fragments according to claim 54, in combination with a pharmaceutically inert vehicle.

Application No. 09/155,982  
Attorney's Docket No. 032475-001  
Page 14

**Claim 82 (New) A pharmaceutical composition comprising the monoclonal antibodies or fragments according to claim 58, in combination with a pharmaceutically inert vehicle.**

**Claim 83 (New) A pharmaceutical composition comprising the monoclonal antibodies or fragments according to claim 59, in combination with a pharmaceutically inert vehicle.**